

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-21 (Canceled)

22. (Currently amended) A cloth prepreg made by a wet process comprising (i) a reinforcing fiber-containing woven fabric impregnated with a resin diluted with a solvent, (ii) a binder distributed in a line-like manner to maintain yarn flatness, wherein at least 80% of said solvent is incompatible with said binder and (iii) a sizing agent on the reinforcing fiber,

the fabric comprising a number of crossing points of warp and weft in a range of from 2,000 to 70,000/m², said warp and said weft being substantially free from twist, a width of 3 to 20 mm and a flatness as defined by a ratio of yarn width to yarn thickness of at least 20, and the prepreg having a cover factor of at least 90%

23. (Original) A cloth prepreg according to claim 22, wherein the number of crossing points of warp and weft is in a range of from 2,500 to 25,000/m².

24. (Previously presented) A cloth prepreg according to claim 22, wherein the prepreg has a cover factor of at least 97%.

25. (Previously presented) A cloth prepreg according to claim 22, wherein the number of the filaments of each of the warp and weft yarn is 6,000 or more, the respective woven densities of the warp and weft are substantially the same and the fabric is woven from carbon fiber so as to provide a carbon fiber weight of the woven fabric within the range of 140 to 240g/m².

26. (Original) A cloth prepreg according to claim 22, wherein the average area of the openings between the warp and weft is 1.5 mm² or less.

27. (Original) A cloth prepreg according to claim 26, wherein the openings between the warp and weft are substantially closed.

28. (Original) A cloth prepreg according to claim 22, wherein the resin is a thermosetting phenol resin.

Claims 29-42 (Canceled)

43. (Previously presented) The cloth prepreg of claim 22, wherein the binder is disposed along the length of the fiber.

44. (Original) The cloth prepreg of claim 22, wherein the binder is on the fabric.